

Complete Repertory 2021 Work Done

2020 was another unusual year in that a lot of time was dedicated to completely rebuilding the Editing-database from scratch, creating more options and a more remedy focussed design. You might hear more about this later. The multi-user/server design has been preserved and fine tuned. Additions are managed per source now, handling # of provers and other details per source instead of per remedy-addition. No commercial program is using this currently though. Just for internal use in search of excellence and for some exp.

Other than this much work has again been done homeopathically.

312000 additions now made from Knerr's repertory based on Hering's Guiding Symptoms, an increase of **29000** additions compared to the 2020 version. Lots of additions to partial rubrics have been made using the remedy information in more specific rubrics. We call those donor-receptor additions. (see right. stomach; tobacco agg. = receptor)

In total **46969** source additions have been made compared to the 2020 version, mostly coming from the work on Knerr and the new remedy additions.

7 new remedies have been added, being:

Sherr J Y & Dynamis school <i>Proving of Populus x canescens, grey poplar</i>	2006
Lucas J <i>Proving of Promethium Chloratum</i>	2010
Hueneke J A <i>Proving of Promethium Muriaticum</i>	2012
Sommermann E & Northwestern Academy of Homeopathy <i>Proving of Chelydra serpentina, the snapping turtle</i>	2008
Scheepers L <i>The proving of Insulinum humanum</i>	2005
Pal N <i>Nestor Notabilis, New Zealand's Alpine Parrot. The birth of a New Remedy</i>	2018
Schönfeld V L <i>A homoeopathic drug proving of bitis atropos</i>	2013

Z: stomach; tobacco agg.

stomach; disordered; smoking agg.
 stomach; eructations; tobacco, after
 stomach; heartburn; tobacco, after
 stomach; indigestion; tobacco, after
 stomach; nausea; odors, from; tobacco, of
 stomach; nausea; tobacco; chewing agg.
 stomach; nausea; tobacco; odor of, from
 stomach; pain; tobacco chewing agg.

Entirely new remedy additions, from the 7 new remedies mentioned and from additions to partial rubrics (donor/receptor): **49638** since CR2020. sse left

Repertories compared	English Kent 1898/1957	English Kent 2020	CR Classic	CR 4.5 1995	CR 2009	Synthes is 9.1 2004	CR 2014	CR 2015	CR 2016	CR 2017	CR 2018	CR 2019	CR 2020	CR 2021
# of rubrics with remedies	64.230	62.255	100.888	125.583	178.094	139.714	190.164	191.877	202.721	204.337	205.878	210.280	213.126	214.403
# of remedies	624	2.012	2.394	n/a	2.394	2.373	2.497	2.502	2.518	2.536	2.545	2.555	2.572	2.579
# of references and cross-references	n/a	51.008	157.410	52.066	216.577	28.744	292.740	295.531	309.143	284.510	290.034	295.154	297.530	302.643
# of author (source) references	503.145	2.962.081	2.843.730	71.200	3.439.769	1.773.453	4.874.792	5.025.508	6.029.109	5.631.013	5.793.309	6.056.378	6.462.939	6.509.908
# of remedy occurrences	503.145	1.313.698	1.431.487	932.636	1.913.936	1.066.987	2.427.654	2.470.257	2.530.413	2.607.602	2.629.179	2.710.175	2.758.724	2.774.826
Grade 1 Boen	338.879	873.332	918.529	720.027	1.327.392	816.612	1.585.766	1.613.852	1.716.029	1.716.335	1.728.769	1.775.914	1.894.667	1.924.733
Grade 2 Boen		55.769	44.425		56.237	0	103.864	113.338	172.898	167.045	170.721	176.910	112.336	130.317
Grade 3 Boen	129.362	276.725	318.774	171.064	360.203	201.295	499.087	502.975	522.825	522.719	525.835	542.526	543.890	494.990
Grade 4 Boen	34.904	107.658	149.622	41.107	169.875	49.180	195.547	196.634	201.046	200.468	202.820	205.400	207.358	224.326
# additions clin. ver. (grade 3. 4)	164.266	384.383	468.396	212.171	530.078	250.475	694.634	699.609	723.871	723.187	728.655	747.926	751.248	719.316
Clinically verified %	32,65	29,26	32,72	22,80	27,70	23,47	28,61	28,32	28,61	27,73	27,71	27,60	27,23	25,92
Average number of remedies per rubric *	8	21	14	7	7	8	13	13	12	13	13	13	13	13
Availability	a	a	a	n.a.	n.a.	a	n.a.	n.a.	n.a.	n.a.	n.a.	a		
Average # sources per addition	1,00	2,25	1,99		1,80	1,66	2,01	2,03	2,38	2,16	2,20	2,23	2,34	2,35
sources	1	4.263		168		3.031	1.855	3.003	3.701	4.231	4.298	4.357		4.452
* Average rubric-size for full repertory (excluding empty rubrics and those containing only a unique single listing of a single remedy)														
* see Synthesis 9.1 Profile on Archibel's website. (http://www.archibel.com/profileofsynthesisindetail.html?&L=vwfzjzftzjtfe) ** Bön = Bönninghausen, K = Kent														
all CR and RU repertories © Roger van Zandvoort														

